# STATEMENT OF WORK (SOW)

## **Inspection and Repair Only As Necessary (IROAN)**

AN/GSQ-261 Tactical Remote Sensor System (TRSS)

## AN/USQ-121 RF Module Assembly

NSN 5998-01-397-8847 P/N 87001D5300; CAGE 01365

Barry G. Richards (Code 592)

**Equipment Specialist** 

SECREP Maint Mgmt Dept

Supply Chain Management Center

MCLB Albany, GA

Charlotte F. Fannin (Code 575-3) Materiel Management Specialist Materiel Management Department Supply Chain Management Center

MCLB, Albany, GA

William T. Reynolds (C4I-SRI) Logistics Management Specialist Marine Corps Systems Command

Albany, GA

### STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN) of the

AN/GSQ-261 Tactical Remote Sensor System (TRSS)
AN/USQ-121 RF Module Assembly
NSN 5998-01-397-8847, P/N 87001D5300; CAGE 01365

1.0 SCOPE. This Statement of Work (SOW) identifies the minimum work effort that shall be performed by the Contractor to Inspect and Repair Only As Necessary (IROAN) the AN/GSQ-261 Tactical Remote Sensor System (TRSS) AN/USQ-121 RF Module Assembly, NSN 5998-01-397-8847, P/N 87001D5300; CAGE 01365, (hereafter referred to as the RF Module). The Contractor, for purposes of this SOW, is defined as a "commercial or Government entity". This document identifies the minimum requirements to restore the RF Module to Condition Code "A" utilizing the Inspection and Repair Only As Necessary (IROAN) maintenance concept. Condition Code "A" is defined as "serviceable and/or issuable without qualification, new, used, repaired, or reconditioned materiel that is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining." IROAN of the RF Module shall ensure that all serviceability performance criteria are met or exceeded, and optimum reliability of the original design (or approved modified configuration, if applicable) is achieved.

- 1.1 <u>Background</u>. IROAN, for the purposes of this SOW, is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment, including its components and assemblies to prescribed operational performance serviceability and reliability standards utilizing all necessary diagnostic equipment and applicable test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

#### 2.1 Military Standards.

MIL-STD-2073-1D

DoD Standard Practice for Military Packaging

MIL-STD-129

DoD Standard Practice for Military Marking

#### 2.2 Other Government Publications.

87001D5300 CAGE 01365

Technical Data Package, RF Module

250-036 Rev. A

Test Proceedures. RF Module Assembly,

Sechan Electronics, Inc.

DoD 4000.25-1-M

**MILSTRIP Manual** 

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management

2.3 Industry Standards.

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in

Final Inspection and Test

JESD625-A

Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179, DSN 442-2179, or e-mail to http://www.dodssp.daps.mil. Copies of other Government documents and publications required by Contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Boulevard, Marine Corps Logistics Bases, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761, DSN 567-6761. Copies of engineering drawings, if required, shall be obtained from: Commander, Attn: Supply Chain Management Center (Code 583-1), Marine Corps Logistics Bases, 814 Radford Boulevard, STE 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

### 3.0 REQUIREMENTS.

- 3.1 The Contractor shall IROAN the RF Module in accordance with Technical Data Package 87001D5300/CAGE 01365 and Sechan Electronics Incorporated document 250-036, Revision A, paragraph 10.
- 3.2 The Contractor shall establish, implement and document an Electrostatic Dischagre (ESD) Control Program following the guidelines provided in JESD625-A. ESD protective measures shall be used during all phases of the IROAN process to include; handling, inspection, repair, testing, packing, packaging, marking, storing, and transporting the RF Module Assembly.

- 3.3 Quality Assurances Provisions. Quality Acceptance and Test Procedures shall be in strict conformance with the entire Technical Data Package 87001D5300/CAGE 01365, and in particular Sechan Electronics, Incorporated, Document 250-036, Revision A, paragraph 10. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994.
- 3.4 <u>Configuration Control.</u> The baseline configuration for the RF Module has been established in the aforementioned Technical Data Package, 87001D5300. Deviation from the established baseline configuration shall not be allowed without the written approval of the Logistics Management Specialist (Code C4I-SRI), Albany, Georgia. All proposed permanent changes to the fit, form or function of the baseline shall require approval of an Engineering Change Proposal (ECP). If necessary to temporarily depart from the established configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 may be used for guidance.

## 3.5 Packaging, Handling, Storage, and Transportation (PHS&T).

- a. The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.
  - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the Contractor.
- 3.6 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM, in writing to the MCA, within 15 days of receipt. This can be done by mailing Materiel Management Department, ATTN: Management Control Activity (Code 573-2), 814 Radford Boulevard, STE 20320, Albany, Georgia 31704-0320 or faxing (commercial telephone number 229-639-5498, DSN 567-5498) a copy of the DD1348. The MCA, in conjunction with the Program Manager's Logistics Management Specialist (Code C4I-SRI), Albany, Georgia, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall denial of such requests form a basis for either work stoppages or delays in delivery.

3.7 Contractor Furnished Materiel (CFM). The Contractor may requisition materiel as required in the performance of this SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to Contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of material, and the required completion/delivery date of the RF Module.

## CONTRACT DATA REQUIREMENTS LIST

**ADD FORM 1423-1, AUG 96 (EG)** 

Form Approved

17. PRICE GROUP

18 ESTIMATED TOTAL PRICE

(1 Data Item) OMB No. 1704-0188 The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, pagestions for reducing this curies, to Department of Detense, washington reacquarters Services, purections for information Operations and Reports 1213 Jetterson Davis ringmay, Suite 120s, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E. A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: TM Other XXX D. SYSTEM/ITEM E. CONTRACT/PR No. F. CONTRACTOR TRSS RF Module Assembly

1. DATA ITEM No. 2. TITLE OF DATA ITEM 3. SUBTITLE CONFIGURATION MANAGEMENT **ENGINEERING CHANGE PROPOSAL (ECP)** 4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. REQUIRING OFFICE **MARCORLOGBASES 583-1** DI-CMAN-80639C SOW Para. 3.4 7. DD 250 REO 9 DIST STATEMENT 12. DATE OF FIRST SUBMISSION DISTRIBUTION REQUIRED h COPIES AS REO SEE BLOCK 16 LT 13. DATE OF SUBSEQUENT 8. APP CODE 11. AS OF DATE a. ADDRESSEE A Draft Reg A 16. REMARKS 0 MCLBA 583-1 0 Block 4: Contractor Format using .doc or .pdf software application is authorized. Block 10 & 12: ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item. ECPs will be reviewed and disposition determined within 20 working days upon receipt by the government. ECPs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil. Distribution Statement A: Approved for public release, distribution is unlimited. 15. TOTAL 0 G. PREPARED BY: H. DATE L APPROVED BY: J. DATE

Page 1 of 1 Pages form Pro, WHS/D/or, Aug 96

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)					Form Approved OMB No. 1704-0188			
intaining the data no gestions for reducing lington, VA 22202-	eeded, and completing and r ng this burden, to Departme: 4302 and to the Office of M	information is authorized to average reviewing the collection of information of Defense, Washington Headquar anagement and Budget, Paperwork I	on. Send comments regarding rters Services, Directorate for I Reduction Project (0704-0188)	this burden estim nformation Oper , Washington, D	nate or any other aspect of this or rations and Reports 1215 Jeffers	collection of inf on Davis High	ormation, inc way, Suite 12	luding 04,
A. CONTRACT LINE ITEM NO. B. EXHIBIT  C. CATEGORY:								
D. SYSTEM/	ITEM Enhance	d Memory   E. CONTRAC	CT/PR No.		RACTOR	Other XX	<u>X</u>	
	2. TITLE OF DATA ITEM		ON (RFD)	3. SUBTITL	E CONFIGURATION	MANAGE	MENT	
AUTHORITY (Data Acquisition Document No.)  5. CONTRACT REFERENCE					6. REQUIRING OFFICE			
DI-CMAN-80640C DD 250 REQ. 9. DIST STATEMENT		10. FREQUENCY	Para 3.4 12. DATE OF FIRST SUBMISSION		MARCORLOGBASES 583-1  DISTRIBUTION			
LT	REQUIRED	AS REQ	SEE BLC			b. COPIES		
APP CODE A	A	A 11. AS OF DATE 13. DATE OF SUBSEQUE SUBMISSION		EQUENT	a ADDRESSEE	Draft	Reg	Repn
6 REMARKS Block 4: Contractor Format using .doc or .pdf software applications is					MCLBA 583-1	0	1	0
horized.								
ock 10 & 1	2: RFDs shall be	submitted to obtain a	uthorization to del	iver		<del> </del> -		<u> </u>
onconforming material which does not meet the prescribed configuration						<del>                                     </del>		$\vdash$
cumentatio	on.							
Ds will be	reviewed and dis	sposition determined	within 20 working	days		<u> </u>	-	├─
	by the governmen		J	•				
De chall h	e transmitted via	e-mail to the followin	a address:					
	nfigmngmnt@m		g address.			+		<del></del>
		10 11 1	de l'est le	4 4				
stribution S	statement A: App	proved for public relea	ise, distribution is	unlimited.		_		
						_		$\vdash$
								<u> </u>
					<u> </u>	+		<u> </u>
						+	├	<u> </u>
						- <del></del>		_
						<del>                                     </del>	<u></u>	<u> </u>
						+		$\vdash$
						<del>                                     </del>		$\vdash$
								<u> </u>
								L

I. APPROVED BY:

H. DATE

G. PREPARED BY:

DD FORM 1423-1, AUG % (EG)

Page 1 of 1 Pages
Designed using Perform Pro, WHS/D/or, Aug %

0 J. DATE

15. TOTAL

17. PRICE GROUP

18 ESTIMATED TOTAL PRICE